ELSEVIER

Journal of Computational and Applied Mathematics 60 (1995) 391–407

JOURNAL OF COMPUTATIONAL AND APPLIED MATHEMATICS

Master Index to Volumes 51–60

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Abdou, M.A. and **E.A. Khar-El din,** An infinite plate weakened by a hole having arbitrary shape — **56** (3) (1994) 341–351

Aftabizadeh, A.R., N.H. Pavel and **Y.K. Huang,** Anti-periodic oscillations of some second-order differential equations and optimal control problems — **52** (1994) 3–21

Agarwal, R.P. and **P.J.Y. Wong,** Explicit error bounds for the derivatives of piecewise-Lidstone interpolation — **58** (1) (1995) 67–81

Ali, F. and **D.F. Mayers,** Error in the upwind differencing of the convection–diffusion equation — **58** (2) (1995) 201–224

Alpert, B.K., High-order quadratures for integral operators with singular kernels — **60** (3) (1995) 367–378

Amano, K., A charge simulation method for the numerical conformal mapping of interior, exterior and doubly-connected domains — **53** (3) (1994) 353–370

Anastassiou, G. and **X.M. Yu,** Bivariate constrained wavelet approximation — **53** (1) (1994) 1–9

Andersen, K.D. and **E. Christiansen,** Limit analysis with the dual affine scaling algorithm — **59** (2) (1995) 233–243

Andrew, A.L., see **Tan, R.C.E.** — **59** (1) (1995) 1–8

Arge, E., M. Dæhlen and **A. Tveito,** Approximation of scattered data using smooth grid functions — **59** (2) (1995) 191–205

Argyros, I.K., D. Chen and **Q. Qian,** The Jarratt method in Banach space setting (*Letter*) — **51** (1) (1994) 103–106

Argyros, I.K., see **Szidarovszky, F.** — **55** (2) (1994) 183–189

Ariel, P.D., A numerical algorithm for computing the stagnation point flow of a second grade fluid with/without suction — **59** (1) (1995) 9–24

Artstein, Z., Sensitivity with respect to the underlying information in stochastic programs — **56** (1–2) (1994) 127–136

Atanassova, L.Y. and **J.P. Herzberger,** Lower bounds for the *R*-order of convergence of simultaneous inclusion methods for polynomial roots and related iteration methods — **60** (1–2) (1995) 3–12

Baheux, C., New implementations of Lanczos method **57** (1–2) (1995) 3– 15
Bainov, D.D., Z. Kamont and **E. Minchev,** Comparison principles for impulsive hyperbolic equations of first order **60** (3) (1995) 379–388
Baker, C.T.H., see **Willé, D.R.** **53** (2) (1994) 163–170
Baker Jr, G.A. and **P.R. Graves-Morris,** Existence of certain sequences of Hermite–Padé approximants **54** (1) (1994) 45– 49
Baker Jr, G.A. and **P.R. Graves-Morris,** Some convergence and divergence theorems for Hermite–Padé approximants **59** (3) (1995) 285–293
Bakin, S.G., see **Sobol', I.M.** **56** (3) (1994) 283–293
Bavinck, H., On polynomials orthogonal with respect to an inner product involving differences **57** (1–2) (1995) 17– 27
Benchiboun, M.D., Linear convergence for vector sequences and some applications **55** (1) (1994) 81– 97
Bentbib, A.H., Acceleration of convergence of interval sequences **51** (3) (1994) 395–409
Berg, C. and **G. Valent,** Nevanlinna extremal measures for some orthogonal polynomials related to birth and death processes **57** (1–2) (1995) 29– 43
Blacher, R., Central limit theorem by polynomial dependence coefficients **57** (1–2) (1995) 45– 56
Bohl, E. and **I. Marek,** A nonlinear model involving M-operators. An amplification effect measured in the cascade of vision **60** (1–2) (1995) 13– 28
Brunelli, R. and **G.P. Tecchiolli,** Stochastic minimization with adaptive memory **57** (3) (1995) 329–343
Brunner, H., Collocation and continuous implicit Runge–Kutta methods for a class of delay Volterra integral equations **53** (1) (1994) 61– 72
Bui Doan Khanh, Hermite predictor–corrector scheme for regular Volterra integral equations and for some integro-differential equations of turbulent diffusion **51** (3) (1994) 305–316
Bultheel, A., P. González-Vera, E. Hendriksen and **O. Njåstad,** Favard theorem for reproducing kernels **57** (1–2) (1995) 57– 76
Bultheel, A., P. González-Vera, E. Hendriksen and **O. Njåstad,** Convergence of modified approximants associated with orthogonal rational functions **57** (1–2) (1995) 77– 86
Busby, R.C. and **W. Fair,** Quadratic operator equations and periodic operator continued fractions **54** (3) (1994) 377–387
Butnariu, D. and **Y. Censor,** Strong convergence of almost simultaneous block-iterative projection methods in Hilbert spaces **53** (1) (1994) 33– 42
Butzer, P.L. and **G. Schöttler**, Sampling theorems associated with fourth- and higher-order self-adjoint eigenvalue problems **51** (2) (1994) 159–177

Cabrelli, C.A. and **U.M. Molter,** The Kantorovich metric for probability measures on the circle **57** (3) (1995) 345–361
Cachafeiro, A., see **Suárez, M.C.** **57** (1–2) (1995) 283–291

Caliò, F., E. Marchetti and **P. Rabinowitz,** On the numerical solution of the generalized Prandtl equation using variation-diminishing splines **60** (3) (1995) 297–307
Calvetti, D., E. Gallopoulos and **L. Reichel,** Incomplete partial fractions for parallel evaluation of rational matrix functions **59** (3) (1995) 349–380
Calzada, M., see **Song, Y.** **58** (1) (1995) 27– 42
Campigotto, C., Yu.F. Smirnov and **S.G. Enikeev,** *q*-analogue of the Krawtchouk and Meixner orthogonal polynomials **57** (1–2) (1995) 87– 97
Carl, S. and **C. Grossmann,** Boundary value problems with discontinuities and monotone discretization **51** (3) (1994) 293–303
Censor, Y., see **Butnariu, D.** **53** (1) (1994) 33– 42
Chaudhry, M.A. and **S.M. Zubair,** Generalized incomplete gamma functions with applications **55** (1) (1994) 99–124
Chaudhry, M.A. and **S.M. Zubair,** On the decomposition of generalized incomplete gamma functions with applications to Fourier transforms **59** (3) (1995) 253–284
Chen, D., see **Argyros, I.K.** **51** (1) (1994) 103–106
Chen, X., L. Qi and **R.S. Womersley,** Newton's method for quadratic stochastic programs with recourse **60** (1–2) (1995) 29– 46
Chen, X. and **T. Yamamoto,** Newton-like methods for solving underdetermined nonlinear equations with nondifferentiable terms **55** (3) (1994) 311–324
Chen, Y., M.E.H. Ismail and **K.A. Muttalib,** Asymptotics of basic Bessel functions and *q*-Laguerre polynomials **54** (3) (1994) 263–272
Chen, Z., BDM mixed methods for a nonlinear elliptic problem **53** (2) (1994) 207–223
Choi, Y.S., H.O. Her and **P.J. McKenna,** Galloping: nonlinear oscillation in a periodically forced loaded hanging cable **52** (1994) 23– 34
Christiansen, E., see **Andersen, K.D.** **59** (2) (1995) 233–243
Christiansen, S. and **P.C. Hansen,** The effective condition number applied to error analysis of certain boundary collocation methods **54** (1) (1994) 15– 36
Chronopoulos, A.T., On the squared unsymmetric Lanczos method **54** (1) (1994) 65– 78
Clavero, C., F. Lisbona and **J.J.H. Miller,** Uniform convergence of arbitrary order on nonuniform meshes for a singularly perturbed boundary value problem **59** (2) (1995) 155–171
Cools, R. and **A. Haegemans,** An imbedded family of cubature formulae for *n*-dimensional product regions (*Algorithm 35*) **51** (2) (1994) 251–262
Coomes, B.A., H. Koçak and **K.J. Palmer,** Shadowing orbits of ordinary differential equations **52** (1994) 35– 43
Cope, D.K., Characterization of first-order convergent sequences **54** (1) (1994) 51– 63
Cuesta-Albertos, J.A., J.S. Domínguez-Menchero and **C. Matrán-Bea,** Some stochastics on monotone functions **55** (2) (1994) 165–182
Cushing, J.M., Oscillations in age-structured population models with an Allee effect **52** (1994) 71– 80

Dæhlen, M., see **Arge, E.** **59** (2) (1995) 191–205

Dahmen, W., P. Oswald and **X.-Q. Shi,** C^1-hierarchical bases	**51**	(1)	(1994)	37– 56
Dancer, E.N. and **P. Hess,** The symmetry of positive solutions of periodic-parabolic problems	**52**		(1994)	81– 89
Dang, Quang A, Approximate method for solving an elliptic problem with discontinuous coefficients	**51**	(2)	(1994)	193–203
Deakin, A.S. and **J.R. Dryden,** Numerically derived boundary conditions on artificial boundaries	**58**	(1)	(1995)	1– 16
De Coster, C. and **M. Willem,** Density, spectral theory and homoclinics for singular Sturm–Liouville systems	**52**		(1994)	45– 70
Deif, A.S., Rigorous perturbation bounds for eigenvalues and eigenvectors of a matrix	**57**	(3)	(1995)	403–412
Della Vecchia, B. and **G. Mastroianni,** Rational approximation in uniform and weighted L^1 norm	**53**	(3)	(1994)	333–339
Dellnitz, M. and **I. Melbourne,** Generic movement of eigenvalues for equivariant self-adjoint matrices	**55**	(3)	(1994)	249–259
Dellwo, D.R., Accelerated degenerate-kernel methods for linear integral equations	**58**	(2)	(1995)	135–149
De Marchi, S. and **M. Morandi Cecchi,** The polynomial approximation in the finite element method	**57**	(1–2)	(1995)	99–114
De Meyer, H., see **Van Daele, M.**	**51**	(3)	(1994)	383–394
De Meyer, H., see **Vanden Berghe, G.**	**53**	(3)	(1994)	389–396
Demichelis, V., The use of modified quasi-interpolatory splines for the solution of the Prandtl equation	**59**	(3)	(1995)	329–338
Deza, M. and **M. Laurent,** Applications of cut polyhedra — I	**55**	(2)	(1994)	191–216
Deza, M. and **M. Laurent,** Applications of cut polyhedra — II	**55**	(2)	(1994)	217–247
Dick, E. and **K. Riemslagh,** Multi-staging of Jacobi relaxation in multigrid methods for steady Euler equations, II	**59**	(3)	(1995)	339–348
Dierckx, P., see **Willemans, K.**	**56**	(3)	(1994)	263–282
Diethelm, K., Uniform convergence of optimal order quadrature rules for Cauchy principal value integrals	**56**	(3)	(1994)	321–329
Dimas, E., see **Simos, T.E.**	**51**	(3)	(1994)	317–326
Dimitrov, D.K. and G.M. Phillips, A note on convergence of Newton interpolating polynomials (*Letter*)	**51**	(1)	(1994)	127–130
Erratum	**51**	(3)	(1994)	411
Djidjeli, K., W.G. Price, E.H. Twizell and **Y. Wang,** Numerical methods for the solution of the third- and fifth-order dispersive Korteweg–de Vries equations	**58**	(3)	(1995)	307–336
Domínguez-Menchero, J.S., see **Cuesta-Albertos, J.A.**	**55**	(2)	(1994)	165–182
Dryden, J.R., see **Deakin, A.S.**	**58**	(1)	(1995)	1– 16
Dupačová, J., Applications of stochastic programming under incomplete information	**56**	(1–2)	(1994)	113–125
Dyer, M.E., W.O. Riha and **J. Walker,** A hybrid dynamic programming/branch-and-bound algorithm for the multiple-choice knapsack problem	**58**	(1)	(1995)	43– 54

Eichenauer-Herrmann, J., On the discrepancy of quadratic congruential pseudorandom numbers with power of two modulus **53** (3) (1994) 371–376
ElMennaoui, O., Asymptotic behaviour of integrated semigroups **54** (3) (1994) 351–369
Elnagar, G., see **Razzaghi, M.** **56** (3) (1994) 253–261
El-Sayed, M.F., see **Mohamed, A.A.** **60** (3) (1995) 331–346
Elshehawey, E.F., see **Mohamed, A.A.** **60** (3) (1995) 331–346
El-Tantawy, M.R., see **Mikhail, M.N.** **51** (1) (1994) 15– 36
Enikeev, S.G., see **Campigotto, C.** **57** (1–2) (1995) 87– 97
Erbe, L.H. and **Q. Kong**, Boundary value problems for singular second-order functional differential equations **53** (3) (1994) 377–388
Everitt, W.N., L.L. Littlejohn and **R. Wellman**, The symmetric form of the Koekoeks' Laguerre type differential equation **57** (1–2) (1995) 115–121
Everitt, W.N. and **C. Markett**, On a generalization of Bessel functions satisfying higher-order differential equations **54** (3) (1994) 325–349
Exton, H., see **Miller, A.R.** **55** (3) (1994) 289–310
Extremera, A., Damping mechanisms in the path-integral approach to special effects in superconductivity **58** (1) (1995) 17– 26
Ezzat, M.A., Power-law fluid flow of a hydromagnetic free jet **54** (1) (1994) 37– 43

Fair, W., see **Busby, R.C.** **54** (3) (1994) 377–387
Famelis, I.Th., see **Higham, D.J.** **58** (2) (1995) 151–169
Fang, C., On Wimp's vector sequence transformations **57** (3) (1995) 425–447
Feldman, P., **S.T. Rachev** and **L. Rüschendorf**, Limit theorems for recursive algorithms **56** (1–2) (1994) 169–182
Feng, Y., The study of nonlinear flexings in a floating beam by variational methods **52** (1994) 91–112
Filippi, S. and **T. Knecht**, Generalized Hermite multistep methods of high order with a variable stepsize **59** (2) (1995) 173–180
Flajolet, P., **P.J. Grabner, P. Kirschenhofer** and **H. Prodinger**, On Ramanujan's Q-function **58** (1) (1995) 103–116
Floreanini, R. and **L. Vinet**, Quantum algebra approach to q-Gegenbauer polynomials **57** (1–2) (1995) 123–133
Foerster, H., **A. Frommer** and **G. Mayer**, Inexact Newton methods on a vector supercomputer **58** (3) (1995) 237–253
Fonda, A., **Z. Schneider** and **F. Zanolin**, Periodic oscillations for a nonlinear suspension bridge model **52** (1994) 113–140
Förster, K.-J., Estimates for the variance of positive quadrature formulas **57** (1–2) (1995) 135–146
Franco, J.M., An explicit hybrid method of Numerov type for second-order periodic initial-value problems **59** (1) (1995) 79– 90
Frauendorfer, K., The approximation of separable stochastic programs **56** (1–2) (1994) 23– 44

Freedman, H.I., J.W.-H. So and **J. Wu,** A model for the growth of a population exhibiting stage structure: cannibalism and co-operation **52** (1994) 177–198
Frommer, A. and **H. Schwandt,** Asynchronous parallel methods for enclosing solutions of nonlinear equations **60** (1–2) (1995) 47– 62
Frommer, A., see **Foerster, H.** **58** (3) (1995) 237–253
Fukushima, M., see **Sugimoto, T.** **60** (1–2) (1995) 219–236

Gallopoulos, E., see **Calvetti, D.** **59** (3) (1995) 349–380
Gani, J. and **S. Yakowitz,** Computational and stochastic methods for interacting groups in the AIDS epidemic **59** (2) (1995) 207–220
García, A.G., F. Marcellán and **L. Salto,** A distributional study of discrete classical orthogonal polynomials **57** (1–2) (1995) 147–162
García-Huidobro, M., R. Manásevich and **F. Zanolin,** On a pseudo Fučik spectrum for strongly nonlinear second-order ODEs and an existence result **52** (1994) 219–239
Gelbrich, M., Simultaneous time and chance discretization for stochastic differential equations **58** (3) (1995) 255–289
Godoy, E., see **Ronveaux, A.** **59** (3) (1995) 295–328
Gonska, H.H. and **X.-l. Zhou,** Approximation theorems for the iterated Boolean sums of Bernstein operators **53** (1) (1994) 21– 31
González-Vera, P., see **Bultheel, A.** **57** (1–2) (1995) 57– 76
González-Vera, P., see **Bultheel, A.** **57** (1–2) (1995) 77– 86
Görlich, E., C. Markett and **O. Stüpp,** Integral formulas associated with products of Bessel functions: a new partial differential equation approach **51** (2) (1994) 135–157
Grabner, P.J., see **Flajolet, P.** **58** (1) (1995) 103–116
Graves-Morris, P.R. and **D.E. Roberts,** From matrix to vector Padé approximants **51** (2) (1994) 205–236
Graves-Morris, P.R., see **Baker Jr, G.A.** **54** (1) (1994) 45– 49
Graves-Morris, P.R., see **Baker Jr, G.A.** **59** (3) (1995) 285–293
Grossmann, C., see **Carl, S.** **51** (3) (1994) 293–303

Haegemans, A., see **Cools, R.** **51** (2) (1994) 251–262
Hajmirzaahmad, M., Laguerre polynomial expansions **59** (1) (1995) 25– 37
Hall, C.A., see **Ye, X.** **58** (2) (1995) 117–133
Hamböker, R., Convergence rates for stopped random sums **54** (2) (1994) 159–184
Han, B., D. Zhang and **J. Liu,** A new class of methods for solving nonlinear equations (*Letter*) **51** (1) (1994) 107–111
Han, G., Asymptotic error expansion for the Nyström method for a nonlinear Volterra–Fredholm integral equation **59** (1) (1995) 49– 59
Han, G. and **L. Zhang,** Asymptotic expansion for the trapezoidal Nyström method of linear Volterra–Fredholm equations **51** (3) (1994) 339–348

Han, W., Computable error estimates for linearization and numerical solution of obstacle problems **55** (1) (1994) 69– 79
Hanin, L.G. and **S.T. Rachev**, Mass-transshipment problems and ideal metrics **56** (1–2) (1994) 183–196
Hanna, S.N., Influence of surface tension on free-surface flow over a polygonal and curved obstruction **51** (3) (1994) 357–374
Hansen, P.C., see **Christiansen, S.** **54** (1) (1994) 15– 36
Hartmann, T. and **E.P. Stephan**, Rates of convergence for collocation with Jacobi polynomials for the airfoil equation **51** (2) (1994) 179–191
Hasegawa, T. and **T. Torii**, Hilbert and Hadamard transforms by generalized Chebyshev expansion **51** (1) (1994) 71– 83
He, F., A. Leung and **S. Stojanovic**, Periodic optimal control for competing parabolic Volterra–Lotka-type systems **52** (1994) 199–217
He, M., The Faber polynomials for m-fold symmetric domains **54** (3) (1994) 313–324
Heindl, G., Experiences with a method for enclosing solutions of systems of equations **60** (1–2) (1995) 63– 76
Hemker, P.W., see **Thoolen, P.M.C.** **53** (2) (1994) 275–290
Hendriksen, E., see **Bultheel, A.** **57** (1–2) (1995) 57– 76
Hendriksen, E., see **Bultheel, A.** **57** (1–2) (1995) 77– 86
Her, H.O., see **Choi, Y.S.** **52** (1994) 23– 34
Herzberger, J.P., see **Atanassova, L.Y.** **60** (1–2) (1995) 3– 12
Hess, P., see **Dancer, E.N.** **52** (1994) 81– 89
Heß, W. and **J.W. Schmidt**, Positive quartic, monotone quintic C^2-spline interpolation in one and two dimensions **55** (1) (1994) 51– 67
Higham, D.J. and **I.Th. Famelis**, Equilibrium states of adaptive algorithms for delay differential equations **58** (2) (1995) 151–169
Horowitz, J. and **R.L. Karandikar**, Mean rates of convergence of empirical measures in the Wasserstein metric **55** (3) (1994) 261–273
Huang, L.J. and **T.-Y. Li**, Parallel homotopy algorithm for symmetric large sparse eigenproblems **60** (1–2) (1995) 77–100
Huang, Y.K., see **Aftabizadeh, A.R.** **52** (1994) 3– 21
Hugger, J., An asymptotically exact, pointwise, a posteriori error estimator for linear, elliptic, one-dimensional problems with possible singularities in the solution **54** (2) (1994) 185–220
Huotari, R., see **Marano, M.** **54** (2) (1994) 151–157
Hussein, H.A., An explicit solution of third-order difference equations **54** (3) (1994) 307–311

Ibaraki, T., see **Sugimoto, T.** **60** (1–2) (1995) 219–236
Ifantis, E.K. and **P.D. Siafarikas**, Perturbation of the coefficients in the recurrence relation of a class of polynomials **57** (1–2) (1995) 163–170
Igarashi, M. and **T. Ypma**, Relationships between order and efficiency of a class of methods for multiple zeros of polynomials **60** (1–2) (1995) 101–113

Iqbal, M., On a numerical technique regarding inversion of the Laplace transform **59** (2) (1995) 145–154
Iraniparast, N., Boundary value problems for a two-dimensional wave equation **55** (3) (1994) 349–356
Ismail, M.E.H., see **Chen, Y.** **54** (3) (1994) 263–272
Ito, Y., Differentiable approximation by means of the Radon transformation and its applications to neural networks **55** (1) (1994) 31–50

Jacover, D. and **P.J. McKenna**, Nonlinear torsional flexings in a periodically forced suspended beam **52** (1994) 241–265
Jhunjhunwala, N., Weighted Landau-type inequalities **57** (3) (1995) 323–328
Jiang, T., Asymptotic expansion for the approximation of the Lipschitz function by the Hermite–Fejer interpolation polynomial **54** (3) (1994) 285–296
Jumarhon, B., S. McKee and **T. Tang**, The proof of an inequality arising in a reaction-diffusion study in a small cell (*Letter*) **51** (1) (1994) 99–101
Junghanns, P., Numerical analysis of Newton projection methods for nonlinear singular integral equations **55** (2) (1994) 145–163

Kamont, Z., see **Bainov, D.D.** **60** (3) (1995) 379–388
Kaňková, V., A note on estimates in stochastic programming **56** (1–2) (1994) 97–112
Karageorghis, A., A conforming spectral technique for biharmonic-type problems in rectangular domains (*Letter*) **51** (2) (1994) 275–278
Karandikar, R.L., see **Horowitz, J.** **55** (3) (1994) 261–273
Khar-El din, E.A., see **Abdou, M.A.** **56** (3) (1994) 341–351
Kirschenhofer, P., see **Flajolet, P.** **58** (1) (1995) 103–116
Kjurkchiev, N., Initial approximations in Euler–Chebyshev's method (*Letter*) **58** (2) (1995) 233–236
Klatte, D., Stable local minimizers in semi-infinite optimization: regularity and second-order conditions **56** (1–2) (1994) 137–157
Klein, A.A.B. and **G. Mélard**, The information matrix of multiple-input single-output time series models **51** (3) (1994) 349–356
Klein Haneveld, W.K. and **M.H. Van der Vlerk**, On the expected value function of a simple integer recourse problem with random technology matrix **56** (1–2) (1994) 45–53
Knecht, T., see **Filippi, S.** **59** (2) (1995) 173–180
Koçak, H., see **Coomes, B.A.** **52** (1994) 35–43
Kölbig, K.S., The complete Bell polynomials for certain arguments in terms of Stirling numbers of the first kind (*Letter*) **51** (1) (1994) 113–116
Kölbig, K.S., On three trigonometric integrals of $\ln \Gamma(x)$ or its derivative (*Letter*) **54** (1) (1994) 129–131
Kong, Q., see **Erbe, L.H.** **53** (3) (1994) 377–388
Korman, P., On the dynamics of two classes of periodic ecological models **52** (1994) 267–275

Kornfeld, I., Nonexistence of universally accelerating linear summability methods **53** (3) (1994) 309–321
Kossaczký, I., A recursive approach to local mesh refinement in two and three dimensions **55** (3) (1994) 275–288
Kuang, J.X., see **Tian, H.J.** **58** (2) (1995) 171–181
Kuijlaars, A., Chebyshev-type quadrature for Jacobi weight functions **57** (1–2) (1995) 171–180
Kunkel, P. and **V. Mehrmann**, Canonical forms for linear differential-algebraic equations with variable coefficients **56** (3) (1994) 225–251
Kzaz, M., Convergence acceleration of Jacobi–Gauss quadrature formulae for analytic functions with poles **57** (1–2) (1995) 181–192

Lakshmikantham, V. and **N.S. Papageorgiou**, Periodic solutions of nonlinear evolution inclusions **52** (1994) 277–286
Lambert, D. and **A. Ronveaux**, Hurwitz problem, harmonic morphisms and generalized Hadamard matrices **54** (3) (1994) 273–283
Lamour, R., R. März and **R.M.M. Mattheij**, On the stability behaviour of systems obtained by index-reduction **56** (3) (1994) 305–319
Langtry, T.N., The determination of canonical forms for lattice quadrature rules **59** (2) (1995) 129–143
Laurent, M., see **Deza, M.** **55** (2) (1994) 191–216
Laurent, M., see **Deza, M.** **55** (2) (1994) 217–247
Lazer, A.C. and **P.J. McKenna**, Nonlinear periodic flexing in a floating beam **52** (1994) 287–303
Lee, Y.-M., R. Schaaf and **R.C. Thompson**, A Hopf bifurcation in a parabolic free boundary problem **52** (1994) 305–324
Le Ferrand, H., Padé-type approximants of entire functions and acceleration of convergence: Two examples **57** (1–2) (1995) 193–202
Lemke, M., A special operator method for solving differential equations **53** (2) (1994) 139–161
Lepp, R., Projection and discretization methods in stochastic programming **56** (1–2) (1994) 55– 64
Letessier, J., Co-recursive associated Jacobi polynomials **57** (1–2) (1995) 203–213
Lether, F.G., Gauss–Legendre approximations for the Hubbell rectangular-source integral **57** (3) (1995) 393–402
Lether, F.G. and **P.R. Wenston**, Minimax approximations to the zeros of $P_n(x)$ and Gauss–Legendre quadrature **59** (2) (1995) 245–252
Leung, A., see **He, F.** **52** (1994) 199–217
Levrie, P., Some identities for G-continued fractions and generalized continued fractions **51** (1) (1994) 85– 97
Li, T.-Y., see **Huang, L.J.** **60** (1–2) (1995) 77–100
Lin, Q. and **J.G. Rokne**, Methods for bounding the range of a polynomial **58** (2) (1995) 193–199
Lisbona, F., see **Clavero, C.** **59** (2) (1995) 155–171

Littlejohn, L.L., see **Everitt, W.N.** **57** (1–2) (1995) 115–121
Liu, C., An acceleration scheme for row projection methods **57** (3) (1995) 363–391
Liu, J., see **Han, B.** **51** (1) (1994) 107–111
Louchard, G., R. Schott, M. Tolley and **P. Zimmermann**, Random walks, heat equation and distributed algorithms **53** (2) (1994) 243–274
Lubinsky, D.S. and **D.M. Matjila**, Full quadrature sums for *p*th powers of polynomials with Freud weights **60** (3) (1995) 285–296
Lupo, D. and **A.M. Micheletti**, Multiple solutions of Hamiltonian systems via limit relative category **52** (1994) 325–335

Maas, L.R.M., On the surface area of an ellipsoid and related integrals of elliptic integrals **51** (2) (1994) 237–249
MacLeod, A.J., Computation of inhomogeneous Airy functions **53** (1) (1994) 109–116
Magnus, A.P., Painlevé-type differential equations for the recurrence coefficients of semi-classical orthogonal polynomials **57** (1–2) (1995) 215–237
Manásevich, R., see **García-Huidobro, M.** **52** (1994) 219–239
Marano, M. and **R. Huotari**, The Pólya algorithm on tubular sets **54** (2) (1994) 151–157
Marcellán, F. and **I.A. Rocha**, On semiclassical linear functionals: integral representations **57** (1–2) (1995) 239–249
Marcellán, F., see **García, A.G.** **57** (1–2) (1995) 147–162
Marchetti, E., see **Caliò, F.** **60** (3) (1995) 297–307
Marek, I., see **Bohl, E.** **60** (1–2) (1995) 13–28
Markett, C., see **Everitt, W.N.** **54** (3) (1994) 325–349
Markett, C., see **Görlich, E.** **51** (2) (1994) 135–157
Maroni, P., An integral representation for the Bessel form **57** (1–2) (1995) 251–260
Martínez, J.M., An extension of the theory of secant preconditioners **60** (1–2) (1995) 115–125
Martínez, J.M. and **L. Qi**, Inexact Newton methods for solving nonsmooth equations **60** (1–2) (1995) 127–145
März, R., see **Lamour, R.** **56** (3) (1994) 305–319
Mastroianni, G., see **Della Vecchia, B.** **53** (3) (1994) 333–339
Matjila, D.M., see **Lubinsky, D.S.** **60** (3) (1995) 285–296
Matrán-Bea, C., see **Cuesta-Albertos, J.A.** **55** (2) (1994) 165–182
Mattheij, R.M.M., see **Lamour, R.** **56** (3) (1994) 305–319
Mavromatis, H.A., Two integrals involving products of two Bessel and a generalized hypergeometric function (*Letter*) **59** (3) (1995) 381–384
Mayer, G., Epsilon-inflation in verification algorithms **60** (1–2) (1995) 147–169
Mayer, G., see **Foerster, H.** **58** (3) (1995) 237–253
Mayers, D.F., see **Ali, F.** **58** (2) (1995) 201–224
McKee, S., see **Jumarhon, B.** **51** (1) (1994) 99–101
McKenna, P.J., see **Choi, Y.S.** **52** (1994) 23–34
McKenna, P.J., see **Jacover, D.** **52** (1994) 241–265
McKenna, P.J., see **Lazer, A.C.** **52** (1994) 287–303

Meek, D.S. and **D.J. Walton,** Approximating smooth planar curves by arc splines **59** (2) (1995) 221–231
Meek, D.S., see **Walton, D.J.** **54** (1) (1994) 107–120
Mehrmann, V., see **Kunkel, P.** **56** (3) (1994) 225–251
Mélard, G., see **Klein, A.A.B.** **51** (3) (1994) 349–356
Melbourne, I., see **Dellnitz, M.** **55** (3) (1994) 249–259
Meyer, K.R., Comet like periodic orbits in the N-body problem **52** (1994) 337–351
Micheletti, A.M., see **Lupo, D.** **52** (1994) 325–335
Mikhail, M.N. and **M.R. El-Tantawy,** The acoustic boundary layers: a detailed analysis **51** (1) (1994) 15– 36
Miller, A.R. and **H. Exton,** Sonine–Gegenbauer-type integrals **55** (3) (1994) 289–310
Miller, J.J.H., see **Clavero, C.** **59** (2) (1995) 155–171
Milovanović, G.V. and **P.M. Rajković,** On polynomials orthogonal on a circular arc **51** (1) (1994) 1– 13
Minchev, E., see **Bainov, D.D.** **60** (3) (1995) 379–388
Moews, D., Explicit Tauberian bounds for multivariate functions **58** (3) (1995) 355–361
Mohamed, A.A., E.F. Elshehawey and **M.F. El-Sayed,** Electrohydrodynamic Kelvin–Helmholtz instability for a velocity stratified fluid **60** (3) (1995) 331–346
Mohd, I.B., Computable error bounds for an optimization problem with parallelepiped constraint **58** (2) (1995) 183–192
Molter, U.M., see **Cabrelli, C.A.** **57** (3) (1995) 345–361
Monk, P., On the p- and hp-extension of Nédélec's curl-conforming elements **53** (1) (1994) 117–137
Mooney, J.W., A monotonicity procedure for the accurate, efficient solution of certain heat-transfer problems with variable thermal properties **58** (1) (1995) 89–101
Morandi Cecchi, M., see **De Marchi, S.** **57** (1–2) (1995) 99–114
Muldoon, M.E., see **Ronveaux, A.** **57** (1–2) (1995) 261–269
Muttalib, K.A., see **Chen, Y.** **54** (3) (1994) 263–272

Nakao, M.T., see **Yamamoto, N.** **60** (1–2) (1995) 271–279
Nedoma, J., Equations of magnetodynamics of incompressible thermo-Bingham's fluid under the gravity effect **59** (1) (1995) 109–128
Nees, M., Approximative versions of Kolmogorov's superposition theorem, proved constructively **54** (2) (1994) 239–250
Neuman, E. and **P.J. Van Fleet,** Moments of Dirichlet splines and their applications to hypergeometric functions **53** (2) (1994) 225–241
Nguyen huu Cong, Parallel iteration of symmetric Runge–Kutta methods for nonstiff initial-value problems (*Letter*) **51** (1) (1994) 117–125
Nguyen huu Cong, A parallel DIRK method for stiff initial-value problems (*Letter*) **54** (1) (1994) 121–127
Niederreiter, H., On a new class of pseudorandom numbers for simulation methods **56** (1–2) (1994) 159–167

Niederreiter, H. and **I.H. Sloan,** Integration of nonperiodic functions of two variables by Fibonacci lattice rules **51** (1) (1994) 57– 70
Nievergelt, Y., The condition of Steffensen's acceleration in several variables **58** (3) (1995) 291–305
Njåstad, O., see **Bultheel, A.** **57** (1–2) (1995) 57– 76
Njåstad, O., see **Bultheel, A.** **57** (1–2) (1995) 77– 86

Ohe, T. and **K. Ohnaka,** Determination of locations of point-like masses in an inverse source problem of the Poisson equation **54** (2) (1994) 251–261
Ohnaka, K., see **Ohe, T.** **54** (2) (1994) 251–261
Oishi, S., Numerical verification of existence and inclusion of solutions for nonlinear operator equations **60** (1–2) (1995) 171–185
Okunbor, D.I. and **R.D. Skeel,** Canonical Runge–Kutta–Nyström methods of orders five and six **51** (3) (1994) 375–382
Osada, N., An optimal multiple root-finding method of order three (*Letter*) **51** (1) (1994) 131–133
Oswald, P., see **Dahmen, W.** **51** (1) (1994) 37– 56
Owens, R.G. and **T.N. Phillips,** Mass- and momentum-conserving spectral methods for Stokes flow **53** (2) (1994) 185–206

Palmer, K.J., see **Coomes, B.A.** **52** (1994) 35– 43
Pan, K., On the convergence of the rational interpolation approximant of Carathéodory functions **54** (3) (1994) 371–376
Pan, K., On the orthogonal rational functions with arbitrary poles and interpolation properties **60** (3) (1995) 347–355
Papageorgiou, N.S., see **Lakshmikantham, V.** **52** (1994) 277–286
Pavel, N.H., see **Aftabizadeh, A.R.** **52** (1994) 3– 21
Peherstorfer, F. and **M. Schmuckenschläger,** Interlacing properties of zeros of associated polynomials **59** (1) (1995) 61– 78
Pelikan, S., Hopf bifurcations via zero sets **52** (1994) 141–145
Peng, L., J. Wang and **Q. Zhu,** Methods with high accuracy for finite element probability computing **59** (2) (1995) 181–189
Pérez Riera, M. and **J.L. Varona Malumbres,** On completeness of orthogonal systems and Dirac deltas **58** (2) (1995) 225–231
Phillips, G.M., see **Dimitrov, D.K.** **51** (1) (1994) 127–130
51 (3) (1994) 411
Phillips, T.N., see **Owens, R.G.** **53** (2) (1994) 185–206
Plum, M., Existence and enclosure results for continua of solutions of parameter-dependent nonlinear boundary value problems **60** (1–2) (1995) 187–200
Prévost, M., Acceleration of some logarithmic sequences **55** (3) (1994) 357–367
Price, W.G., see **Djidjeli, K.** **58** (3) (1995) 307–336
Prodinger, H., see **Flajolet, P.** **58** (1) (1995) 103–116
Prolla, J.B., The Weierstrass–Stone theorem for convex-cone-valued functions **53** (2) (1994) 171–183

Qi, L., see **Chen, X.** **60** (1–2) (1995) 29– 46
Qi, L., see **Martínez, J.M.** **60** (1–2) (1995) 127–145
Qian, Q., see **Argyros, I.K.** **51** (1) (1994) 103–106

Rabinowitz, P., see **Caliò, F.** **60** (3) (1995) 297–307
Rabinowitz, P.H., A note on periodic solutions of prescribed energy for singular Hamiltonian systems **52** (1994) 147–154
Rachev, S.T., see **Feldman, P.** **56** (1–2) (1994) 169–182
Rachev, S.T., see **Hanin, L.G.** **56** (1–2) (1994) 183–196
Rafajłowicz, E., Fast algorithm for generating Bernstein–Bezier polynomials **51** (3) (1994) 279–292
Rajković, P.M., see **Milovanović, G.V.** **51** (1) (1994) 1– 13
Rathore, R.K.S., Total error in the discrete convolution backprojection algorithm in computerized tomography **54** (1) (1994) 79– 97
Razzaghi, M. and **G. Elnagar**, Numerical solution of the controlled Duffing oscillator by the pseudospectral method **56** (3) (1994) 253–261
Reemtsen, R., Some outer approximation methods for semi-infinite optimization problems **53** (1) (1994) 87–108
Reichel, L., see **Calvetti, D.** **59** (3) (1995) 349–380
Riemslagh, K., see **Dick, E.** **59** (3) (1995) 339–348
Riha, W.O., see **Dyer, M.E.** **58** (1) (1995) 43– 54
Rinott, Y., On normal approximation rates for certain sums of dependent random variables **55** (2) (1994) 135–143
Roberts, D.E., see **Graves-Morris, P.R.** **51** (2) (1994) 205–236
Rocha, I.A., see **Marcellán, F.** **57** (1–2) (1995) 239–249
Rokne, J.G., see **Lin, Q.** **58** (2) (1995) 193–199
Ronveaux, A. and **M.E. Muldoon**, Stieltjes sums for zeros of orthogonal polynomials **57** (1–2) (1995) 261–269
Ronveaux, A., A. Zarzo and **E. Godoy**, Fourth-order differential equations satisfied by the generalized co-recursive of all classical orthogonal polynomials. A study of their distribution of zeros **59** (3) (1995) 295–328
Ronveaux, A., see **Lambert, D.** **54** (3) (1994) 273–283
Roos, H.-G., Ten ways to generate the Il'in and related schemes **53** (1) (1994) 43– 59
Rump, S.M., Verified solution of large systems and global optimization problems **60** (1–2) (1995) 201–218
Rundell, W. and **P. Sacks**, On the determination of potentials without bound state data **55** (3) (1994) 325–347
Rüschendorf, L., see **Feldman, P.** **56** (1–2) (1994) 169–182

Saadallah, A.F., A quasi-Newton method using a nonquadratic model **51** (3) (1994) 327–338
Sacks, P., see **Rundell, W.** **55** (3) (1994) 325–347
Salto, L., see **García, A.G.** **57** (1–2) (1995) 147–162

Sansigre, G. and **G. Valent,** A large family of semi-classical polynomials: The perturbed Chebyshev **57** (1–2) (1995) 271–281
Sartoretto, F. and **R. Spigler,** Computing expansion coefficients in orthogonal bases of ultraspherical polynomials **56** (3) (1994) 295–303
Schaaf, R., see **Lee, Y.-M.** **52** (1994) 305–324
Schaefer, M.J., Precise optimization using range arithmetic **53** (3) (1994) 341–351
Schmidt, D., Versal normal form of the Hamiltonian function of the restricted problem of three bodies near $\mathscr{L}_4$ **52** (1994) 155–176
Schmidt, J.W., see **Heß, W.** **55** (1) (1994) 51– 67
Schmuckenschläger, M., see **Peherstorfer, F.** **59** (1) (1995) 61– 78
Schneider, Z., see **Fonda, A.** **52** (1994) 113–140
Schott, D., About geometrical convergence of general iterative methods applied to nonunique solvable convex problems, Part I **54** (1) (1994) 1– 14
Schott, D., About geometrical convergence of general iterative methods applied to nonunique solvable convex problems, Part II **54** (2) (1994) 133–150
Schott, R., see **Louchard, G.** **53** (2) (1994) 243–274
Schöttler, G., see **Butzer, P.L.** **51** (2) (1994) 159–177
Schultz, R., Strong convexity in stochastic programs with complete recourse **56** (1–2) (1994) 3– 22
Schwandt, H., see **Frommer, A.** **60** (1–2) (1995) 47– 62
Scitovski, R., A special nonlinear least-squares problem **53** (3) (1994) 323–331
Shah, A.A., A new method for eigenvalues of nonsymmetric matrices **58** (1) (1995) 83– 88
Shalaby, M.A., A parallel processed scheme for the eigenproblem of positive definite matrices **54** (1) (1994) 99–106
Shalaby, M.A., On the real symmetric inverse eigenvalue problem **56** (3) (1994) 331–340
Shampine, L.F. and **A. Witt,** A simple step size selection algorithm for ODE codes **58** (3) (1995) 345–354
Shi, X.-Q., see **Dahmen, W.** **51** (1) (1994) 37– 56
Siafarikas, P.D., see **Ifantis, E.K.** **57** (1–2) (1995) 163–170
Sideridis, A.B., see **Simos, T.E.** **51** (3) (1994) 317–326
Simos, T.E., An explicit four-step phase-fitted method for the numerical integration of second-order initial-value problems **55** (2) (1994) 125–133
Simos, T.E., A family of four-step exponentially fitted predictor–corrector methods for the numerical integration of the Schrödinger equation **58** (3) (1995) 337–344
Simos, T.E., E. Dimas and **A.B. Sideridis,** A Runge–Kutta–Nyström method for the numerical integration of special second-order periodic initial-value problems **51** (3) (1994) 317–326
Singer, P., An integrated fractional Fourier transform **54** (2) (1994) 221–237
Skeel, R.D., see **Okunbor, D.I.** **51** (3) (1994) 375–382
Sloan, I.H., see **Niederreiter, H.** **51** (1) (1994) 57– 70
Sloboda, F. and **J. Stoer,** On piecewise linear approximation of planar Jordan curves **55** (3) (1994) 369–383

Smirnov, Yu.F., see **Campigotto, C.** **57** (1–2) (1995) 87– 97
So, J.W.-H., see **Freedman, H.I.** **52** (1994) 177–198
Sobol', I.M. and **S.G. Bakin,** On the crude multidimensional search **56** (3) (1994) 283–293
Sommeijer, B.P., see **Van der Houwen, P.J.** **60** (3) (1995) 309–329
Song, Y. and **M. Calzada,** A dictionary random choice method for turbulent combustion **58** (1) (1995) 27– 42
Spigler, R., see **Sartoretto, F.** **56** (3) (1994) 295–303
Sri Ranga, A. and **M. Veiga,** A Chebyshev-type quadrature rule with some interesting properties (*Letter*) **51** (2) (1994) 263–265
Stephan, E.P., see **Hartmann, T.** **51** (2) (1994) 179–191
Stoer, J., see **Sloboda, F.** **55** (3) (1994) 369–383
Stojanovic, S., see **He, F.** **52** (1994) 199–217
Strøm, K., On convolutions of B-splines **55** (1) (1994) 1– 29
Stüpp, O., see **Görlich, E.** **51** (2) (1994) 135–157
Suárez, M.C. and **A. Cachafeiro,** A generalization of the associated functional to the Lebesgue measure **57** (1–2) (1995) 283–291
Sugimoto, T., M. Fukushima and **T. Ibaraki,** A parallel relaxation method for quadratic programming problems with interval constraints **60** (1–2) (1995) 219–236
Szidarovszky, F., and **I.K. Argyros,** On the convergence of modified contractions **55** (2) (1994) 183–189

Tan, R.C.E. and **A.L. Andrew,** Henrici's transformation and its application to the computation of derivatives of eigensystems **59** (1) (1995) 1– 8
Tang, S. and **G. Zhu,** On the acceleration convergence of limit periodic continued fractions by the T_{+m} transformation (*Letter*) **51** (2) (1994) 267–274
Tang, T., see **Jumarhon, B.** **51** (1) (1994) 99–101
Tecchiolli, G.P., see **Brunelli, R.** **57** (3) (1995) 329–343
Thompson, R.C., see **Lee, Y.-M.** **52** (1994) 305–324
Thoolen, P.M.C. and **P.W. Hemker,** Approximate methods for n-component solute transport and ion-exchange **53** (2) (1994) 275–290
Tian, H.J. and **Kuang, J.X.,** The stability of the θ-methods in the numerical solution of delay differential equations with several delay terms **58** (2) (1995) 171–181
Tolley, M., see **Louchard, G.** **53** (2) (1994) 243–274
Torii, T., see **Hasegawa, T.** **51** (1) (1994) 71– 83
Tseng, P., On linear convergence of iterative methods for the variational inequality problem **60** (1–2) (1995) 237–252
Tveito, A., see **Arge, E.** **59** (2) (1995) 191–205
Twizell, E.H., see **Djidjeli, K.** **58** (3) (1995) 307–336

Uryas'ev, S., Derivatives of probability functions and integrals over sets given by inequalities **56** (1–2) (1994) 197–223

Valent, G., Associated Stieltjes–Carlitz polynomials and a generalization of Heun's differential equation **57** (1–2) (1995) 293–307
Valent, G., see **Berg, C.** **57** (1–2) (1995) 29– 43
Valent, G., see **Sansigre, G.** **57** (1–2) (1995) 271–281
Van Daele, M., G. Vanden Berghe and **H. De Meyer,** A smooth approximation for the solution of a fourth-order boundary value problem based on nonpolynomial splines **51** (3) (1994) 383–394
Vanden Berghe, G. and **H. De Meyer,** A finite-element estimate with trigonometric hat functions for Sturm–Liouville eigenvalues **53** (3) (1994) 389–396
Vanden Berghe, G., see **Van Daele, M.** **51** (3) (1994) 383–394
Van der Houwen, P.J., B.P. Sommeijer and **W.A. Van der Veen,** Parallel iteration across the steps of high-order Runge–Kutta methods for nonstiff initial value problems **60** (3) (1995) 309–329
Van der Veen, W.A., see **Van der Houwen, P.J.** **60** (3) (1995) 309–329
Van der Vlerk, M.H., see **Klein Haneveld, W.K.** **56** (1–2) (1994) 45– 53
Van Doorn, E.A., Some new results for chain-sequence polynomials **57** (1–2) (1995) 309–317
Van Fleet, P.J., see **Neuman, E.** **53** (2) (1994) 225–241
Van Gijzen, M.B., A polynomial preconditioner for the GMRES algorithm **59** (1) (1995) 91–107
Varona Malumbres, J.L., see **Pérez Riera, M.** **58** (2) (1995) 225–231
Veiga, M., see **Sri Ranga, A.** **51** (2) (1994) 263–265
Vinet, L., see **Floreanini, R.** **57** (1–2) (1995) 123–133
Voevudsky, V.P., Convergence of regularized spline approximants to solutions of initial and boundary value problems for ODE **58** (1) (1995) 55– 66
Vogel, S., A stochastic approach to stability in stochastic programming **56** (1–2) (1994) 65– 96

Walker, J., see **Dyer, M.E.** **58** (1) (1995) 43– 54
Walton, D.J. and **D.S. Meek,** Approximation of quadratic Bézier curves by arc splines **54** (1) (1994) 107–120
Walton, D.J., see **Meek, D.S.** **59** (2) (1995) 221–231
Wang, D. and **F. Zhao,** The theory of Smale's point estimation and its applications **60** (1–2) (1995) 253–269
Wang, J., see **Peng, L.** **59** (2) (1995) 181–189
Wang, Y., see **Djidjeli, K.** **58** (3) (1995) 307–336
Washburn, A., Dynamic programming and the backpacker's linear search problem **60** (3) (1995) 357–365
Wellman, R., see **Everitt, W.N.** **57** (1–2) (1995) 115–121
Wenston, P.R., see **Lether, F.G.** **59** (2) (1995) 245–252
Willé, D.R. and **C.T.H. Baker,** Stepsize control and continuity consistency for state-dependent delay-differential equations **53** (2) (1994) 163–170
Willem, M., see **De Coster, C.** **52** (1994) 45– 70

Willemans, K. and **P. Dierckx,** Surface fitting using convex Powell–Sabin splines **56** (3) (1994) 263–282
Witt, A., see **Shampine, L.F.** **58** (3) (1995) 345–354
Womersley, R.S., see **Chen, X.** **60** (1–2) (1995) 29– 46
Wong, P.J.Y., see **Agarwal, R.P.** **58** (1) (1995) 67– 81
Wu, J., see **Freedman, H.I.,** **52** (1994) 177–198

Yakowitz, S., see **Gani, J.** **59** (2) (1995) 207–220
Yamamoto, N. and **M.T. Nakao,** Numerical verifications for solutions to elliptic equations using residual iterations with a higher order finite element **60** (1–2) (1995) 271–279
Yamamoto, T., see **Chen, X.** **55** (3) (1994) 311–324
Yang, D.Q., Different domain decompositions at different times for capturing moving local phenomena **59** (1) (1995) 39– 48
Ye, X. and **C.A. Hall,** The construction of a null basis for a discrete divergence operator **58** (2) (1995) 117–133
Ypma, T., see **Igarashi, M.** **60** (1–2) (1995) 101–113
Yu, X.M., see **Anastassiou, G.** **53** (1) (1994) 1– 9

Zanolin, F., see **Fonda, A.** **52** (1994) 113–140
Zanolin, F., see **García-Huidobro, M.** **52** (1994) 219–239
Zarzo, A., see **Ronveaux, A.** **59** (3) (1995) 295–328
Zeng, J., The q-Stirling numbers, continued fractions and the q-Charlier and q-Laguerre polynomials **57** (3) (1995) 413–424
Zhang, D., see **Han, B.** **51** (1) (1994) 107–111
Zhang, J. and **D. Zhu,** A projective quasi-Newton method for nonlinear optimization **53** (3) (1994) 291–307
Zhang, L., see **Han, G.** **51** (3) (1994) 339–348
Zhang, W., The starting procedure in variable-stepsize variable-order PECE codes **53** (1) (1994) 73– 86
Zhao, F., see **Wang, D.** **60** (1–2) (1995) 253–269
Zhou, S.P., Rational approximation rate for the Müntz system $\{x^{\lambda_n}\}$ with $\lambda_n \searrow 0$ **53** (1) (1994) 11– 19
Zhou, X.-l., see **Gonska, H.H.** **53** (1) (1994) 21– 31
Zhu, D., see **Zhang, J.** **53** (3) (1994) 291–307
Zhu, G., see **Tang, S.** **51** (2) (1994) 267–274
Zhu, Q., see **Peng, L.** **59** (2) (1995) 181–189
Zimmermann, P., see **Louchard, G.** **53** (2) (1994) 243–274
Žitňan, P., The Rayleigh–Ritz method still competitive **54** (3) (1994) 297–306
Zubair, S.M., see **Chaudhry, M.A.** **55** (1) (1994) 99–124
Zubair, S.M., see **Chaudhry, M.A.** **59** (3) (1995) 253–284